



COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY

NORTHERN REGIONAL OFFICE

13901 Crown Court, Woodbridge, Virginia 22193

(703) 583-3800 Fax (703) 583-3801

www.deq.virginia.gov

David K. Paylor
Director

Thomas A. Faha
Regional Director

Preston Bryant
Secretary of Natural Resources

February 25, 2008

Mr. J. David Rives
Virginia Electric & Power Company
5000 Dominion Boulevard
Glen Allen, Virginia 23060

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Re: Virginia Water Protection (VWP) Individual Permit Number 91-1631
Gordonsville Power Station, Louisa County, Virginia
Final VWP Individual Permit

Dear Mr. Rives:

Pursuant to the Virginia Water Protection (VWP) Permit Program Regulation 9 VAC 25-210-10 and § 401 of the Clean Water Act Amendments of 1977, Public Law 95-217, the Department of Environmental Quality (DEQ) has enclosed the original VWP Individual Permit for the "Gordonsville Power Station" project.

This permit is valid for fifteen (15) years from the date of issuance. No re-issuance or extension of the permit may occur, as the permit term cannot exceed the maximum of 15 years.

As provided by Rule 2A:2 of the Supreme Court of Virginia, you have **30 calendar days** from the date of service (the date you actually received this decision or the date it was mailed to you, whichever occurred first) within which to appeal this decision by filing a notice of appeal in accordance with the Rules of the Supreme Court of Virginia with the Director, Department of Environmental Quality. In the event that this decision is served on you by mail, three days are added to that period. Refer to Part 2A of the Rules of the Supreme Court of Virginia for additional requirements governing appeals from administrative agencies.

Alternatively, an owner may request a formal hearing for the formal taking of evidence upon relevant fact issues under Section 2.2-4020 of the Administrative Process Act. A petition for a formal hearing must meet the requirements set forth in 9 VAC 25-230-130.B of the Virginia Administrative Code. In cases involving actions of the board, such petition must be filed within 30 calendar days after notice of such action is sent to such owner by certified mail.

If you have any questions, please contact Sarah Marsala at (703) 583-3898.

Respectfully,

A handwritten signature in cursive script that reads "Trisha M. Beasley".

Trisha M. Beasley
VWPP Program Manager

Enclosures: Permit Cover Page, Part I - Special Conditions, Part II - General Conditions

cc: Ms. Regena Bronson, U.S. Army Corps of Engineers, Potomac Field Office – VIA EMAIL
Mr. Robert Williams, Dominion Resources Services, Inc. – VIA EMAIL



COMMONWEALTH of VIRGINIA

DEPARTMENT OF ENVIRONMENTAL QUALITY

VWP Individual Permit Number 91-1631

Effective Date: February 25, 2008

Expiration Date: February 24, 2023

VIRGINIA WATER PROTECTION PERMIT ISSUED PURSUANT TO THE STATE WATER CONTROL LAW AND SECTION 401 OF THE CLEAN WATER ACT

Based upon an examination of the information submitted by the owner, and in compliance with § 401 of the Clean Water Act as amended (33 USC 1341 et seq.) and the State Water Control Law and regulations adopted pursuant thereto, the State Water Control Board (board) has determined that there is a reasonable assurance that the activity authorized by this permit, if conducted in accordance with the conditions set forth herein, will protect instream beneficial uses and will not violate applicable water quality standards. The board finds that the effect of the impact, together with other existing or proposed impacts to surface waters, will not cause or contribute to a significant impairment to state waters or fish and wildlife resources.


Permittee: Virginia Electric & Power Company

Address: 5000 Dominion Boulevard, Glen Allen, Virginia 23060

Activity Location: The project site is located on the South Anna River, south of Gordonsville and west of State Route 660 in Louisa County, Virginia.

Activity Description: The permitted activity is the operation of a water supply intake on a quarry located adjacent to the South Anna River near the Gordonsville Power Station. Water withdrawal activities shall be in accordance with Part I of the Special Conditions.

The permitted activity shall be in accordance with this Permit Cover Page, Part I - Special Conditions, and Part II - General Conditions.


Thomas A. Faha, Regional Director

02-25-08
Date

Part I – Special Conditions

- A. The conditions and limitations specified in the application and the supplemental materials submitted by the owner shall be adhered to.
- B. This permit is valid for fifteen (15) years from the date of issuance. This permit will need to be renewed. Reapplication must be made no less than 180 days prior to the expiration date of this permit.
- C. This permit authorizes the withdrawal of water from the quarry located adjacent to the South Anna River near the Gordonsville Power Station.
- D. The maximum annual withdrawal shall not exceed 13.43 million gallons.
- E. The maximum monthly withdrawal shall not exceed seven million gallons in November, December, January or February; nor three million gallons in any other month.
- F. In the event of a total shut down of water from the Town of Gordonsville, then the maximum daily withdrawal from the quarry shall not exceed:
 - (1) 470,000 gallons in any day from November 1st through February 29th nor,
 - (2) 200,000 gallons in any day from March 1st through October 31st.
- G. In the event that the water supply from the Town of Gordonsville has been reduced to 60,000 gallons per day for emergency conservation reasons, then the maximum daily withdrawal from the quarry shall not exceed:
 - (1) 410,000 gallons from November 1st through February 29th, nor,
 - (2) 140,000 gallons from March 1st through October 31st.
- H. If there are no conservation reductions in supply or shutdowns by the Town of Gordonsville, then the maximum daily withdrawal from the quarry shall not exceed 270,000 from November 1st through February 29th, nor shall any withdrawal from the quarry be allowed from March 1st through October 31st. The only exception to this condition is for a withdrawal that will allow the permittee to perform a monthly system maintenance test and to “fluff” or redistribute the media in the resin treatment bed to prevent algae growth.

I. The permittee shall file an annual report to demonstrate compliance with water withdrawal conditions D, E, F, G, and H. The annual report must contain the following information:

- (1) The volume of water withdrawn the previous calendar year.
- (2) The volume of water withdrawn in any month that water withdrawals occur.
- (3) The volume of water withdrawn on any day in which water withdrawals occur.
- (4) Whether or not any restrictions are in effect in the amount of water supplied by the Town of Gordonsville and if so the nature of the restrictions.
- (5) A reference to the permit number (91-1631).

The annual report shall be submitted to the Virginia Department of Environmental Quality, Virginia Water Protection Permit Program, 13901 Crown Court, Woodbridge, Virginia 22193 by January 31st for the previous calendar year.

Part II – General Conditions

A. Duty to Comply

The permittee shall comply with all conditions of the VWP permit. Nothing in the VWP permit regulations shall be construed to relieve the permittee of the duty to comply with all applicable federal and state statutes, regulations and prohibitions. Any VWP permit violation is a violation of the law, and is grounds for enforcement action, VWP permit termination, revocation, modification, or denial of an application for a VWP permit extension or reissuance.

B. Duty to Cease or Confine Activity

It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the activity for which a VWP permit has been granted in order to maintain compliance with the conditions of the VWP permit.

C. Duty to Mitigate

The permittee shall take all reasonable steps to minimize or prevent any impacts in violation of the permit which may have a reasonable likelihood of adversely affecting human health or the environment.

D. VWP Permit Action

1. A VWP permit may be modified, revoked and reissued, or terminated as set forth in 9 VAC 25-210 et seq.
2. If a permittee files a request for VWP permit modification, revocation, or termination, or files a notification of planned changes, or anticipated noncompliance, the VWP permit terms and conditions shall remain effective until the request is acted upon by the board. This provision shall not be used to extend the expiration date of the effective VWP permit. If the permittee wishes to continue an activity regulated by the VWP permit after the expiration date of the VWP permit, the permittee must apply for and obtain a new VWP permit or comply with the provisions of 9 VAC 25-210-185 (VWP Permit Extension).

VWP permits may be modified, revoked and reissued or terminated upon the request of the permittee or other person at the board's discretion, or upon board initiative to reflect the requirements of any changes in the statutes or regulations, or as a result of VWP permit noncompliance as indicated in the Duty to Comply subsection above, or for other reasons listed in 9 VAC 25-210-180 (Rules for Modification, Revocation and Reissuance, and Termination of VWP permits).

E. Inspection and Entry

Upon presentation of credentials, any duly authorized agent of the board may, at reasonable times and under reasonable circumstances:

1. Enter upon any permittee's property, public or private, and have access to, inspect and copy any records that must be kept as part of the VWP permit conditions;
2. Inspect any facilities, operations or practices (including monitoring and control equipment) regulated or required under the VWP permit; and
3. Sample or monitor any substance, parameter or activity for the purpose of ensuring compliance with the conditions of the VWP permit or as otherwise authorized by law.

F. Duty to Provide Information

1. The permittee shall furnish to the board any information which the board may request to determine whether cause exists for modifying, revoking, reissuing or terminating the VWP permit, or to determine compliance with the VWP permit. The permittee shall also furnish to the board, upon request, copies of records required to be kept by the permittee.
2. Plans, specifications, maps, conceptual reports and other relevant information shall be submitted as required by the board prior to commencing construction.

G. Monitoring and Records Requirements

1. Monitoring of parameters, other than pollutants, shall be conducted according to approved analytical methods as specified in the VWP permit. Analysis of pollutants will be conducted according to 40 CFR Part 136 (2000), Guidelines Establishing Test Procedures for the Analysis of Pollutants.
2. Samples and measurements taken for the purpose of monitoring shall be representative of the monitored activity.
3. The permittee shall retain records of all monitoring information, including all calibration and maintenance records and all original strip chart or electronic recordings for continuous monitoring instrumentation, copies of all reports required by the VWP permit, and records of all data used to complete the application for the VWP permit, for a period of at least three years from the date of the expiration of a granted VWP permit. This period may be extended by request of the board at any time.
4. Records of monitoring information shall include:
 - a. The date, exact place and time of sampling or measurements;
 - b. The name of the individuals who performed the sampling or measurements;
 - c. The date and time the analyses were performed;

- d. The name of the individuals who performed the analyses;
- e. The analytical techniques or methods supporting the information such as observations, readings, calculations and bench data used;
- f. The results of such analyses; and
- g. Chain of custody documentation.

H. Transferability

This VWP permit may be transferred to a new permittee only by modification to reflect the transfer, by revoking and reissuing the permit, or by automatic transfer. Automatic transfer to a new permittee shall occur if:

1. The current permittee notifies the board within 30 days of the proposed transfer of the title to the facility or property;
2. The notice to the board includes a written agreement between the existing and proposed permittee containing a specific date of transfer of VWP permit responsibility, coverage and liability to the new permittee, or that the existing permittee will retain such responsibility, coverage, or liability, including liability for compliance with the requirements of any enforcement activities related to the permitted activity; and
3. The board does not within the 30-day time period notify the existing permittee and the new permittee of its intent to modify or revoke and reissue the VWP permit.

I. Property rights

The issuance of this permit does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize injury to private property or any invasion of personal rights or any infringement of federal, state or local law or regulation.

J. Reopener

Each VWP permit shall have a condition allowing the reopening of the VWP permit for the purpose of modifying the conditions of the VWP permit to meet new regulatory standards duly adopted by the board. Cause for reopening VWP permits includes, but is not limited to when the circumstances on which the previous VWP permit was based have materially and substantially changed, or special studies conducted by the board or the permittee show material and substantial change, since the time the VWP permit was issued and thereby constitute cause for VWP permit modification or revocation and reissuance.

K. Compliance with State and Federal Law

Compliance with this VWP permit constitutes compliance with the VWP permit requirements of the State Water Control Law. Nothing in this VWP permit shall be construed to preclude the institution of any legal action under or relieve the permittee from any responsibilities, liabilities, or other penalties established pursuant to any other state law or regulation or under the authority preserved by § 510 of the Clean Water Act.

L. Severability

The provisions of this VWP permit are severable.

M. Permit Modification

A VWP permit may be modified, but not revoked and reissued except when the permittee agrees or requests, when any of the following developments occur:

1. When additions or alterations have been made to the affected facility or activity which require the application of VWP permit conditions that differ from those of the existing VWP permit or are absent from it;
2. When new information becomes available about the operation or activity covered by the VWP permit which was not available at VWP permit issuance and would have justified the application of different VWP permit conditions at the time of VWP permit issuance;
3. When a change is made in the promulgated standards or regulations on which the VWP permit was based;
4. When it becomes necessary to change final dates in schedules due to circumstances over which the permittee has little or no control such as acts of God, materials shortages, etc. However, in no case may a compliance schedule be modified to extend beyond any applicable statutory deadline of the Act;
5. When changes occur which are subject to "reopener clauses" in the VWP permit; or
6. When the board determines that minimum instream flow levels resulting from the permittee's withdrawal of water are detrimental to the instream beneficial use and the withdrawal of water should be subject to further net limitations or when an area is declared a Surface Water Management Area pursuant to §§ 62.1-242 through 62.1-253 of the Code of Virginia, during the term of the VWP permit.

N. Permit Termination

After notice and opportunity for a formal hearing pursuant to Procedural Rule No. 1 (9 VAC 25-230-100) a VWP permit can be terminated for cause. Causes for termination are as follows:

1. Noncompliance by the permittee with any condition of the VWP permit;
2. The permittee's failure in the application or during the VWP permit issuance process to disclose fully all relevant facts or the permittee's misrepresentation of any relevant facts at any time;
3. The permittee's violation of a special or judicial order;
4. A determination by the board that the permitted activity endangers human health or the environment and can be regulated to acceptable levels by VWP permit modification or termination;
5. A change in any condition that requires either a temporary or permanent reduction or elimination of any activity controlled by the VWP permit; and
6. A determination that the permitted activity has ceased and that the compensatory mitigation for unavoidable adverse impacts has been successfully completed.

O. Civil and Criminal Liability

Nothing in this VWP permit shall be construed to relieve the permittee from civil and criminal penalties for noncompliance.

P. Oil and Hazardous Substance Liability

Nothing in this VWP permit shall be construed to preclude the institution of legal action or relieve the permittee from any responsibilities, liabilities, or penalties to which the permittee is or may be subject under § 311 of the Clean Water Act or §§ 62.1-44.34:14 through 62.1-44.34:23 of the State Water Control Law.

Q. Unauthorized Discharge of Pollutants

Except in compliance with this VWP permit, it shall be unlawful for the permittee to:

1. Discharge into state waters sewage, industrial wastes, other wastes, or any noxious or deleterious substances;
2. Excavate in a wetland;
3. Otherwise alter the physical, chemical, or biological properties of state waters and make them detrimental to the public health, to animal or aquatic life, to the uses of such waters for domestic or industrial consumption, for recreation, or for other uses;
4. On or after October 1, 2001 conduct the following activities in a wetland:

- a. New activities to cause draining that significantly alters or degrades existing wetland acreage or functions;
- b. Filling or dumping;
- c. Permanent flooding or impounding;
- d. New activities that cause significant alteration or degradation of existing wetland acreage or functions.

R. Permit Extension

Any permittee with an effective VWP permit for an activity that is expected to continue after the expiration date of the VWP permit, without any change in the activity authorized by the VWP permit, shall submit written notification requesting an extension. The permittee must file the request prior to the expiration date of the VWP permit. Under no circumstances will the extension be granted for more than 15 years beyond the original effective date of the VWP permit. If the request for extension is denied, the VWP permit will still expire on its original date and, therefore, care should be taken to allow for sufficient time for the board to evaluate the extension request and to process a full VWP permit modification, if required.